## Heegermaterials

## Heeger Materials Inc. Safety Data Sheet Aluminum Cobalt Chromium Iron Nickel

1. Product and Company Identification		
Trade Name:	Aluminum Cobalt Chromium Iron Nickel	
Chemical Formula:	AlCoCrFeNi	
Recommended Use:	Scientific research and development	
Manufacturer/Supplier:	Heeger Materials Inc.	
Street:	230 Steele St Denver	
	CO 80206	
	United States	
Tel #:	925-385-8104	
24-Hour Emergency Contact:	800-424-9300 (US & Canada)	
	+1-703-527-3887 (International)	
7.	2. Hazards Identification	
Signal Word:	Warning	
Hazard Statements:	H228: Flammable solid H250: Catches fire spontaneously if exposed to air H261 In contact with water releases flammable gas H317: May cause an allergic skin reaction H319: Causes serious eye irritation H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled H335: May cause respiratory irritation H351: Suspected of causing cancer H372: Causes damage to organs through prolonged or repeated exposure.	
Precautionary Statements:	<ul> <li>P202: Do not handle until all safety precautions have been read and understood</li> <li>P210: Keep away from heat/sparks/open flames/hot surfaces – No Smoking</li> <li>P222: Do not allow contact with air</li> <li>P223: Keep away from any possible contact with water, because of violent reaction and possible flash fire</li> <li>P231+P232: Handle under inert gas. Protect from moisture</li> <li>P240: Ground/bond container and receiving equipment</li> <li>P260: Do not breathe dust/fume/gas/mist/vapours/spray</li> <li>P264: Wash face hands and any exposed skin thoroughly after handling</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face</li> <li>protection</li> <li>P281: Use personal protective equipment as required</li> <li>P284: Wear respiratory protection</li> <li>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing</li> </ul>	

	<ul> <li>P308+P313: IF exposed or concerned: Get medical advice/attention</li> <li>P335+P334: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages</li> <li>P342+P311: If experiencing respiratory symptoms: Call a POISON</li> <li>CENTER or doctor/physician</li> <li>P363: Wash contaminated clothing before reuse</li> <li>P370+P378: In case of fire: Use CO<sub>2</sub> dry chemical or foam for extinction</li> <li>P402+P404: Store in a dry place. Store in a closed container</li> <li>P403+P233: Store in a well-ventilated place. Keep container tightly closed</li> <li>P405: Store locked up</li> <li>P501: Dispose of contents/container in accordance with local/regional/national/international regulations</li> </ul>	
HMIS Health Ratings (0-4):		
Health:	1	
Flammability:	3	
Physical:	2	
3. Composition		
Chemical Family:	Alloy	
Additional Names:	High Entropy Alloy	
Aluminum (Al):	0-100 wt%	
Percentage: CAS #:	7429-90-5	
20	231-072-3 0-100 wt% 7440-48-4 231-158-0 0-100 wt% 7440-47-3 231-157-5 0-100 wt%	
Cobalt (Co):		
Percentage:	0-100 wt%	
CAS #:	7440-48-4	
EC #:	231-158-0	
Chromium (Cr): Percentage:	0.100 wt%	
CAS #:	7440-47-3	
EC #:	231-157-5	
Iron (Fe):		
Percentage:	0-100 wt%	
CAS #:	7439-89-06	
EC #:	231-096-4	
Nickel (Ni):	0.100	
Percentage: CAS #:	0-100 wt% 7440-02-0	
EC #:	231-111-4	
4. First Aid Procedures		
General Treatment:	Seek medical attention if symptoms persist.	
Special Treatment:	None	
Important Symptoms:	None	
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.	
	Seek immediate medical attention.	
Ingestion:	Seek immediate medical attention.	
Skin:	Wash affected area with mild soap and water. Remove any	
-	contaminated clothing. Seek immediate medical attention	
Eyes:	Flush eyes with water, blinking often for several minutes. Remove	
	contact lenses if present and easy to do. Continue rinsing. Seek immediate medical attention	

	5. Firefighting Measures
Flammability:	Flammable as powder
Extinguishing Media: Spec. Fire Fighting Procedure:	Do not use water for metal fires – use $CO_2$ , sand, extinguishing powder. Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	5. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions: Storage Conditions: Work/Hygienic Maintenance:	Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
Ventilation:	compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
	osure Controls and Personal Protection
Permissible Exposure Limits:	15 mg/m <sup>3</sup> as Al, long-term value 0.1 mg/m <sup>3</sup> as Co, long-term value 1 mg/m <sup>3</sup> as Cr, long-term value 1 mg/m <sup>3</sup> as Ni, long-term value
Threshold Limit Value:	1 mg/m <sup>3</sup> as Al, long-term value 0.5 mg/m <sup>3</sup> as Cr, long-term value 5 mg/m <sup>3</sup> as Fe, long-term value 0.015 mg/m <sup>3</sup> as Ni, long-term value
Special Equipment: Respiratory Protection: Protective Gloves: Eye Protection: Body Protection:	None Dust Respirator Rubber gloves Safety glasses or goggles Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics		
Color	Grey/Black	
Form:	Powder	
Odor:	Odorless	
Water Solubility:	Insoluble	
Boiling Point:	N/A	
Melting Point:	N/A	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	N/A	
Molecular weight:	N/A	
	10. Reactivity	
Stability	Stable under recommended storage conditions	
Stability: Reacts With:	Water, Strong acids, strong bases, Alcohols, Halogens, Halogenated	
Reacts with.		
In a sum of the Constitution	Compound, CO2	
Incompatible Conditions:	Halogens, Moisture sensitive	
Hazardous Decomposition Products:	Metal oxide fume	
1	11. Toxicological Information	
Potential Health Effects:		
Eyes:	Causes serious eye irritation	
Skin:	May cause allergic reaction	
Ingestion:	May cause irritation	
Inhalation:	May cause allergy or asthma symptoms	
Chronic:	Suspected of causing cancer	
Chrome.	Suspected of causing cancer	
	~(Nr.	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	N/A N/A 6171 mg/kg as Co for rat by mouth 30000 mg/kg as Fe for rat by mouth	
Carcinogen:	IARC-2B: Possibly carcinogenic to humans: limited evidence in human in the absence of sufficient evidence in experimental animals. ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dama by routes of administration at sites of	
	animals at a relatively high dose, by routes of administration, at sites, of histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or level of exposure.	
	NTP-R: Reasonably anticipated to be a carcinogen, limited evidence of carcinogenicity from epidemiologic studies.	
	12. Ecological Information	
Aquatic Toxicity:	Moderate	
Persistent Bioaccumulation Toxicity:	No	
Persistent Bioaccumulation Toxicity: Very Persistent, Very Bioaccumulative: Notes:	No No Do not allow to reach ground water	

13. Disposal Considerations         Dispose of in accordance with local, state, national, and international regulations.         14. Transportation Data				
			Hazardous:	Hazardous as powder only.
				DANGEROUSR <sup>P</sup> 4
Hazard Class:	4.3 Dangerous when wet materials			
Secondary Hazard Class:	4.1 Flammable Solids			
Packing Group:	П			
UN Number:	UN3132			
Proper Shipping Name:	Water-reactive solid, flammable, n.o.s (Aluminum Cobalt Chromium			
	Iron Nickel)			
1/00	15. Regulatory Information			
Sec 302 Extremely Hazardous:	No			
Sec 304 Reportable Quantities:	N/A			
Sec 313 Toxic Chemicals:	Yes			
	16. Other Information			
	conjunction with technical sheets. It does not replace them. The information product, at the time of publication. It is given in good faith. The attention of			

given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

07/07/2021