Heegermaterials

Heegermaterials	Heeger Materials Inc. Safety Data Sheet	
Cobalt Chromium Iron Nickel Manganese		
	1. Product and Company Identification	
Trade Name: Chemical Formula: Recommended Use:	Cobalt Chromium Iron Nickel Manganese CoCrFeNiMn Scientific research and development	
Manufacturer/Supplier: Address:	Heeger Materials Inc. 230 Steele St Denver CO 80206 United States	
Tel#: Email:	Tel: 925-385-8104USA Email: sales@heegermaterials.com	
24-Hour Emergency Contact:	800-424-9300 (US & Canada) +1-703-527-3887 (International)	
- TA	2. Hazards Identification	
Signal Word: Hazard Statements:	Warning Warning H228: Flammable solid H317: May cause an allergic skin reaction H319: Causes serious eye irritation H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled H335: May cause respiratory irritation H351: Suspected of causing cancer	
	H372: Causes damage to organs through prolonged or repeated exposure.	
Precautionary Statements:	 P202: Do not handle until all safety precautions have been read and understood P210: Keep away from heat/sparks/open flames/hot surfaces – No Smoking P240: Ground/bond container and receiving equipment P260: Do not breathe dust/fume/gas/mist/vapours/spray P261 Avoid breathing dust/fume/vapor P264: Wash face hands and any exposed skin thoroughly after handling P280: Wear protective gloves/protective clothing/eye protection/face protection P281: Use personal protective equipment as required P284: Wear respiratory protection P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing P308+P313: IF exposed or concerned: Get medical advice/attention P337+P313: If eye irritation persists get medical advice/attention P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician 	

HMIS Health Ratings (0-4): Health: Flammability: Physical:	 P363: Wash contaminated clothing before reuse P370+P378: In case of fire: Use CO₂ dry chemical or foam for extinction P405: Store locked up P501: Dispose of contents/container in accordance with local/regional/national/international regulations 2 3 1 3. Composition
	5. Composition
Chemical Family:	Alloy
Additional Names:	High Entropy Alloy
Cobalt (Co):	
Percentage:	0-100 wt%
CAS #:	7440-48-4
EC #:	231-158-0
Chromium (Cr):	
Percentage:	0-100 wt%
CAS #:	7440-47-3
EC #:	231-157-5
Iron (Fe): Percentage:	0-100 wt%
CAS #:	7439-89-06
EC #:	221 006 1
Nickel (Ni):	231 0 0 1
Percentage:	0-100 wt%-
CAS #:	7440-02-0
EC #:	231-111-4
Manganese (Mn):	
Percentage:	0-100 wt%
CAS #:	7439-96-5
EC #:	231-105-1
	0-100 wt% 7440-02-0 231-111-4 0-100 wt% 7439-96-5 231-105-1
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Domovo victim to fresh air Sunnly ovygon if broothing is difficult
Innatation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Seek immediate medical attention.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce
6	vomiting or give anything by mouth to an unconscious person. Seek
	immediate medical attention.
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing. Seek immediate medical attention
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing. Seek
	immediate medical attention

5. Firefighting Measures		
Flammability:	Flammable as powder	
Extinguishing Media: Spec. Fire Fighting Procedure:	Do not use water for metal fires – use CO_2 , sand, extinguishing powder Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.	
	6. Accidental Release Measures	
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.	
Environmental Precautions:	Isolate runoff to prevent environmental pollution.	
	7. Handling and Storage	
Handling Conditions: Storage Conditions:	Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.	
Work/Hygienic Maintenance: Ventilation:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.	
	. Exposure Controls and Personal Protection	
Permissible Exposure Limits: Threshold Limit Value:	0.1 mg/m ³ as Co, long-term value 1 mg/m ³ as Cr, long-term value 5 mg/m ³ as Mn, long-term value 1 mg/m ³ as Ni, long-term value 0.02 mg/m ³ as Co, long term value 0.5 mg/m ³ as Cr, long-term value 5 mg/m ³ as Fe, long-term value 0.02 mg/m ³ as Mn, long-term value 0.015 mg/m ³ as Ni, long-term value	
Special Equipment: Respiratory Protection: Protective Gloves: Eye Protection: Body Protection:	None Dust Respirator Rubber gloves Safety glasses or goggles Protective work clothing. Wear close-toed shoes and long sleeves/pants.	

9. Physical and Chemical Characteristics		
Color	Grey/Black	
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts	
Odor:	Odorless	
Water Solubility:	Insoluble	
Boiling Point:	N/A	
Melting Point:	N/A	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	N/A	
Molecular weight:	N/A	
	10. Reactivity	
Stability:	Stable under recommended storage conditions	
Reacts With:	Acids, Bases, Halogens Oxidizing agents	
Incompatible Conditions:	Moisture sensitive	
Hazardous Decomposition Products:	Metal oxide fume	
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	Causes serious eye irritation	
Skin:	May cause allergic reaction	
Ingestion:	May cause irritation	
Inhalation:	May cause allergy or asthma symptoms	
Chronic:	Suspected of causing cancer	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	6171 mg/kg as Co for rat by mouth	
	30000 mg/kg as Fe for rat by mouth	
	9000 mg/kg as Mn for rat by mouth	
Carcinogen:	IARC-2B: Possibly carcinogenic to humans: limited evidence in human in the absence of sufficient evidence in experimental animals.	
	ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental	
	animals at a relatively high dose, by routes of administration, at sites, of	
	histologic types, or by mechanisms not considered relevant to worker	
	exposure. Available epidemiologic studies do not confirm an increased	
	risk of cancer in exposed humans. Available evidence suggests that the	
	agent is not likely to cause cancer in humans except under uncommon	
	or unlikely routes or level of exposure.	
	NTP-R: Reasonably anticipated to be a carcinogen, limited evidence of	
	carcinogenicity from epidemiologic studies.	
	12. Ecological Information	
Aquatic Toxicity:	Moderate	
Persistent Bioaccumulation Toxicity:	No	
Very Persistent, Very Bio accumulative:	No	
Notes:	Do not allow to reach ground water	

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data		
Hazardous:	Hazardous as powder only.	
	ELAMMABLE SOLD	
Hazard Class:	4.1 Flammable Solids	
Packing Group:	III	
UN Number:	UN3089	
Proper Shipping Name:	Metal powders, flammable, n.o.s (Cobalt Chromium Iron Nickel Manganese)	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes	
MA	16. Other Information	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his ecaution. Ill his obligation activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

02/15/2022