# Heegermaterials

## SAFETY DATA SHEET

Creation Date 07-Mar-2018 Revision Date 27-Mar-2024 **Revision Number** 3

1. Identification

**Product Name** Cobalt powder

7440-48-4 CAS No.:

Synonyms No information available

**Recommended Use** Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Heeger Materials Inc. 230 Steele St Denver CO 80206

**United States** Tel: 925-385-8104

**Emergency Telephone Number** 

ser Mati For information **US** call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99

CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Category 2 Category 4 Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Category 1 Serious Eye Damage/Eye Irritation Category 2 Respiratory Sensitization Category 1 Skin Sensitization Category 1 Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1B Reproductive Toxicity Category 1B

#### Label Elements

#### Signal Word

Danger

Revision Date 27-Mar-2024 Cobalt powder

#### **Hazard Statements**

Flammable solid Harmful if swallowed

May cause an allergic skin reaction

Causes serious eye irritation

Fatal if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Suspected of causing genetic defects

May cause cancer by inhalation

May damage fertility



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

ials Inc. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer - https://www.p65warnings.ca.gov/.

Revision Date 27-Mar-2024 Cobalt powder

### 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cobalt, powder	7440-48-4	<=100

### 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In **Eye Contact** 

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical Skin Contact

attention is required.

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth Inhalation

> method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing Treat symptomatically

**Notes to Physician** 

5. Fire-fighting measures is Inc.

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper Lower

No data available No data available Sensitivity to Mechanical Impact No information available No information available

### Specific Hazards Arising from the Chemical

Sensitivity to Static Discharge

Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

None known.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

**Flammability** Instability Physical hazards Health 4 2 0 N/A

Cobalt powder Revision Date 27-Mar-2024

#### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

areas.

**Environmental Precautions**Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

### 7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Cobalt, powder	TWA: 0.02 mg/m <sup>3</sup>	(Vacated) TWA: 0.05 mg/m <sup>3</sup>	IDLH: 20 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>
·		TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	_

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Solid Powder

Appearance No information available

Odor No information available
Odor Threshold No information available
pH No information available

Melting Point/Range 1495 °C / 2723 °F

Revision Date 27-Mar-2024 Cobalt powder

**Boiling Point/Range** 2870 °C / 5198 °F **Flash Point** No information available

**Evaporation Rate** Not applicable Flammability (solid, gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available

**Vapor Pressure** No information available Vapor Density Not applicable

**Specific Gravity** No information available Solubility Insoluble in water Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available **Decomposition Temperature** No information available

**Viscosity** Not applicable

Molecular Formula Co 58.93 Molecular Weight

### 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Stable under normal conditions.

**Conditions to Avoid** Incompatible products.

**Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous polymerization does not occur. **Hazardous Polymerization** 

None under normal processing. **Hazardous Reactions** 

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt, powder	LD50 = 6171 mg/kg (Rat)	Not listed	10 mg/L (Rat) 1 h

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cobalt, powder	7440-48-4	Group 2A	Reasonably	A3	Х	A3
		· ·	Anticipated			

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Inc

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program)

Cobalt powder Revision Date 27-Mar-2024

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen
A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Reproductive Effects No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and

delayed

Hygienists)

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No.

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cobalt, powder	Not listed	LC50: > 100 mg/L, 96h static (Brachydanio rerio)	Not listed	Not listed
		_ ` ' '		

Persistence and Degradability Insoluble in water

**Bioaccumulation**/ **Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN-No UN3089

Proper Shipping Name METAL POWDERS, FLAMMABLE, N.O.S.

Technical Name Cobalt, powder

Hazard Class 4.1 Packing Group

Cobalt powder Revision Date 27-Mar-2024

TDG

**UN-No** UN3089

Proper Shipping Name METAL POWDER, FLAMMABLE, N.O.S.

Hazard Class 4.1 Packing Group

IATA

UN-No UN3089

Proper Shipping Name METAL POWDER, FLAMMABLE, N.O.S.

Hazard Class 4. Packing Group

IMDG/IMO

UN-No UN3089

Proper Shipping Name METAL POWDER, FLAMMABLE, N.O.S.

Hazard Class 4.1 Packing Group

### 15. Regulatory information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cobalt, powder	7440-48-4	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical

Not applicable

Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cobalt, powder	7440-48-4	Х	-	231-158-0	Х	Х	7	X	Х	KE-06060

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Cobalt, powder	7440-48-4	<=100	0.1 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

Cobalt powder Revision Date 27-Mar-2024

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Cobalt, powder	7440-48-4	Carcinogen	-	Carcinogen

# U.S. State Right-to-Know

### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cobalt, powder	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Ν DOT Marine Pollutant Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

#### Authorisation/Restrictions according to EU REACH

Security	OCA			
Other International Regulation	<u>is</u>	1		
Mexico - Grade	No information av	ailable		
		4/0.		
		Crr		
Authorisation/Restrictions acc	cording to EU REACH			
Commonant	CACNI	DEAOU (1007/0006)	DEA011 (4007/0006)	DEAGU Demulation (FO
Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -
		Subject to Authorization		Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Cobalt, powder	7440-48-4	-	Use restricted. See item	-
			30.	
			(see link for restriction	
			details) Use restricted. See item	
			28.	
			(see link for restriction	
			details)	
			Use restricted. See item	
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
			Tollatant	1 Oteritiai	Substances (RoHS)

Cobalt powder Revision Date 27-Mar-2024

Cobalt, powder	7440-48-4	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### Other International Regulations

	Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
			for Major Accident  Notification	for Safety Report Requirements		
Г	Cobalt, powder	7440-48-4	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information
-----------------------

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 07-Mar-2018 Revision Date 27-Mar-2024 **Print Date** 27-Mar-2024

**Revision Summary** New emergency telephone response service provider.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information nay not be vanc-iext

End of SDS relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text